

Supermicro SuperChassis SC813MTQ-R400CB 1U 4xLFF RED PSU

Kod producenta: CSE-813MTQ-R400CB



| | |
|------------------------|------------------|
| Chassis Form Factor | Rack 1U |
| # of 3.5 hot-swap bays | 4 |
| Power Supply | Redundant |
| PSU Wattage | 400W |
| PSU Certification | 80+ Gold |
| Chassis Dimensions | 437 x 43 x 503mm |

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------------------------|--------------------------|--|----------------------------|---------------------------|--------------------------|----------------------------|--------------------------|----------------------------|----------------------------|--------------------------|--------------------------|--------------------------|---------------------------|-------------------------|----------------------------|-------------------------------|--------------------------|---------------------------|-------------------------|--------------------------|-------------------------|--------------------------|-------------------------|--------------------------|-------------------------|--------------------------|-------------------------|--------------------------|--------------------------|--------------------------|---------------------------|-----------------------|---------------------------|-------------------------|-----------------------|-------------------------|---------------------------|--------------------------|---------------------------|-----------------------|--------------------------|-------------------------|
| Product SKUs | <input type="checkbox"/> | <input type="checkbox"/> | Motherboard (for CSE-813MTQ-R400CB) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CSE-813MTQ-R400CB | <input type="checkbox"/> | <input type="checkbox"/> | • SuperChassis 813MTQ-R400CB (Black) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Form Factor | <input type="checkbox"/> | <input type="checkbox"/> | <table border="0"> <tr><td>H8SCM</td><td>H8SCM-F</td></tr> <tr><td>H8SGL</td><td>H8SGL-F</td></tr> <tr><td>H8SML-7</td><td>H8SML-7F</td></tr> <tr><td>H8SML-i</td><td>H8SML-iF</td></tr> <tr><td>X10SL7-F</td><td>X10SLH-F</td></tr> <tr><td>X10SL+ -F</td><td>X10SL-F</td></tr> <tr><td>X10SLM+ -F</td><td>X10SLM+ -LN4F</td></tr> <tr><td>X10SLM-F</td><td>X10SRH-CF</td></tr> <tr><td>X8DTL-3</td><td>X8DTL-3F</td></tr> <tr><td>X8DTL-6</td><td>X8DTL-6F</td></tr> <tr><td>X8DTL-I</td><td>X8DTL-iF</td></tr> <tr><td>X9DBL-3</td><td>X9DBL-3F</td></tr> <tr><td>X9DBL-i</td><td>X9DBL-iF</td></tr> <tr><td>X9DRL-7F</td><td>X9DRL-EF</td></tr> <tr><td>X9SCL-LN4</td><td>X9SCL</td></tr> <tr><td>X9SCL+ -F</td><td>X9SCL-F</td></tr> <tr><td>X9SCM</td><td>X9SCM-F</td></tr> <tr><td>X9SCM-iiF</td><td>X9SRH-7F</td></tr> <tr><td>X9SRH-7TF</td><td>X9SRi</td></tr> <tr><td>X9SRi-3F</td><td>X9SRi-F</td></tr> </table> | H8SCM | H8SCM-F | H8SGL | H8SGL-F | H8SML-7 | H8SML-7F | H8SML-i | H8SML-iF | X10SL7-F | X10SLH-F | X10SL+ -F | X10SL-F | X10SLM+ -F | X10SLM+ -LN4F | X10SLM-F | X10SRH-CF | X8DTL-3 | X8DTL-3F | X8DTL-6 | X8DTL-6F | X8DTL-I | X8DTL-iF | X9DBL-3 | X9DBL-3F | X9DBL-i | X9DBL-iF | X9DRL-7F | X9DRL-EF | X9SCL-LN4 | X9SCL | X9SCL+ -F | X9SCL-F | X9SCM | X9SCM-F | X9SCM-iiF | X9SRH-7F | X9SRH-7TF | X9SRi | X9SRi-3F | X9SRi-F |
| H8SCM | H8SCM-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H8SGL | H8SGL-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H8SML-7 | H8SML-7F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H8SML-i | H8SML-iF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X10SL7-F | X10SLH-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X10SL+ -F | X10SL-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X10SLM+ -F | X10SLM+ -LN4F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X10SLM-F | X10SRH-CF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X8DTL-3 | X8DTL-3F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X8DTL-6 | X8DTL-6F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X8DTL-I | X8DTL-iF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9DBL-3 | X9DBL-3F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9DBL-i | X9DBL-iF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9DRL-7F | X9DRL-EF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SCL-LN4 | X9SCL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SCL+ -F | X9SCL-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SCM | X9SCM-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SCM-iiF | X9SRH-7F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SRH-7TF | X9SRi | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X9SRi-3F | X9SRi-F | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1U chassis support for motherboard sizes - Micro ATX 9.6" x 9.6" or ATX 12" x 10" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Processor Support | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Supports dual, single Intel® / AMD processors | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dimensions | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Height | | | • 1.7" (43mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Width | | | • 17.2" (437mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Depth | | | • 19.85" (503mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gross Weight | | | • 33.5 lbs (15.2kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Available Colors | | | • Black | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Expansion Slots | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1x Full-height AOC expansion slot | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Drive Bays | <input type="checkbox"/> | <input type="checkbox"/> | Server(s) for SC813MTQ-R400CB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hot-swap | <input type="checkbox"/> | <input type="checkbox"/> | <table border="0"> <tr><td>5017R-MTRF</td><td>5017R-MTF</td></tr> <tr><td>5017R-MF</td><td>5017C-MTRF</td></tr> <tr><td>5018R-MR</td><td>5018D-MTRF</td></tr> <tr><td>6017B-MTRF</td><td></td></tr> </table> | 5017R-MTRF | 5017R-MTF | 5017R-MF | 5017C-MTRF | 5018R-MR | 5018D-MTRF | 6017B-MTRF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5017R-MTRF | 5017R-MTF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5017R-MF | 5017C-MTRF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5018R-MR | 5018D-MTRF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6017B-MTRF | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • 4x 3.5" Hot-swap SAS2 (6Gb/s) / SATA drive bays | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • SAS or enterprise SATA HDD only recommended | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SAS / SATA Backplane | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1x SAS / SATA Backplane | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peripheral Drives | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DVD-ROM | | | • Slim DVD-ROM drive (opt.) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Others | | | • Front USB/COM access | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Front Panel | <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Buttons | | | • Power On/Off button | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • System Reset button | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEDs | | | • Power LED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • Hard drive activity LED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 2x Network activity LEDs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • System Overheat LED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <input type="checkbox"/> | System Cooling | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <input type="checkbox"/> | Fans | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 4x 4cm 4-pin PWM fans | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 2x additional fans optional; 6x fans total maximum | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <input type="checkbox"/> | Operating Environment (System) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <input type="checkbox"/> | Operating Temperature Range | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 5°C ~ 35°C (41°F ~ 95°F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Non-Operating Temperature Range | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • -40°C ~ 60°C (-40°F ~ 140°F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Operating Relative Humidity Range | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 8% ~ 90% (non-condensing) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Non-Operating Relative Humidity Range | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 5% - 95% (non-condensing) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Power Supply | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | 400W Redundant Power Supplies w/Power Distributor, PMBus 1.2, i ² C, and PFC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | AC Input | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • 100-240V, 50-60Hz, 6-3A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | DC Output | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • +5V standby: 3A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • +12V: 33A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | DC Output With Power | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • +5V: 25A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • +3.3V: 25A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Distributor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • -12V: 0.6A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <input type="checkbox"/> | Regulatory (Power Supply) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • USA - UL listed, FCC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • Canada - CUL listed | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | • Europe/CE Mark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc813mtq-r400cb-1u-4xlf-red-psu-p-2188.html>