

Supermicro SuperChassis SC113MFAC2-605CB 1U 8xSFF FIX PSU

Kod producenta: CSE-113MFAC2-605CB



Chassis Form Factor	Rack 1U
# of 2.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	600 W
PSU Certification	80+ Platinum
Chassis Dimensions	437 x 43 x 507mm
Uwagi	SAS3 12Gb/s Hybrid backplane



Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-113MFAC2-605CB • SuperChassis 113MFAC2-605CB (Black)

Form Factor

1U chassis for motherboard support size of 12" x 10" ATX 12" x 10"

Processor Support

Dual and Single Intel® and AMD processors

Dimensions

Height • 1.7" (43mm)
Width • 17.2" (437mm)
Depth • 19.98" (507mm)
Packaging • 24" (W) x 8.3" (H) 30" (L)
Gross Weight • 29.5 lb (13.38 kg)
Available Colors • black

Expansion Slots

1 full-height & full-length expansion slot(s)

Peripheral Drives

1 x Optional slim DVD-ROM drive bay

Drive Bays

Hot-swap 8 x 2.5" hot-swap SAS/SATA drive bay

Front Panel

Buttons

- Power On/Off button
- System Reset Button
- 2 Network Activity LEDs

LEDs

- HDD activity LED
- Power Status LED
- Unit Identification (UID) LED

Motherboard (for CSE-113MFAC2-605CB)

[X10DRL-C](#) [X10DRL-CT](#)
[X10DRL-iT](#) [X10SRH-CF](#)
[X10SRH-CLN4F](#) [X10SRM-F](#)
[X10SRM-TF](#) [X11SSL-CF](#)
[X11SSL-nF](#)

Server(s) for SC113MFAC2-605CB

[1028R-MCT](#)

System Cooling

Fans 4x 40x28mm PWM fan
2x fans for AOC cooling

System Monitoring

Chassis intrusion switch

Operating Environment (System)

Operating Temperature • 5°C ~ 35°C (41°F ~ 95°F)
Range
Non-Operating Temperature • -40°C ~ 60°C (-40°F ~ 140°F)
Range
Operating Relative Humidity • 8% ~ 90% (non-condensing)
Range
Non-Operating Relative Humidity • 5% - 95% (non-condensing)
Range

Power Supply

600W High-Efficiency Power Supply w/PMBus 1.2, I²C, PFC, and Digital Switching
AC Input • 100-240V, 50-60Hz, 7.5A max
• +3.3V: 15A
• +5V: 18A
DC Output • +5V standby: 3A
• +12V: 49A
• -12V: 0.5A

Certification



Platinum Certified
[\[Test Report \]](#)

Regulatory (Power Supply)

• USA - UL listed, FCC
• Canada - CUL listed
Power Supply Safety / EMC • Germany - TUV Certified
• Europe/CE Mark

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc113mfac2-605cb-1u-8xsff-fix-psu-p-2208.html>