

Supermicro SuperChassis SC813MFTQC-350CB 1U 4xLFF FIX PSU

Kod producenta: CSE-813MFTQC-350CB



Chassis Form Factor	Rack 1U
# of 3.5 hot-swap bays	4
Power Supply	Fixed
PSU Wattage	350 W
PSU Certification	80+ Platinum
Chassis Dimensions	437 x 43 x 503mm

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-813MFTQC-350CB • SuperChassis 813MFTQC-350CB (black)

Form Factor

1U chassis for motherboard support size 12" x 10", 9.6" x 9.6"

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Height 1.7" (43mm)
Width 17.2" (437mm)
Depth 19.85" (503mm)
Gross Weight lb (kg)
Packaging 23.4" (W) x 8.5"(H) 29.7" (L)
Available Color black

Expansion Slots

1 full-height & full-length expansion slot(s)

Drive Bays

Internal Bay • 4x 3.5" hot-swap SAS/SATA drive bay with SES2

Front Panel

Buttons

- Power On/Off button
- System Reset Button
- 2 Network Activity LEDs

LEDs

- Fan Fail/System Over Heat LED
- HDD activity LED
- Power Status LED

Motherboard (for CSE-813MFTQC-350CB)

X10SRM-F	X10SRM-TF
X11SSH-CTF	X11SSH-F
X11SSH-LN4F	X11SSH-TF
X11SSi-LN4F	X11SSL
X11SSL-CF	X11SSL-F
X11SSL-nF	X11SSM
X11SSM-F	X11SSZ-F
X11SSZ-QF	X11SSZ-TLN4F

Server(s) for SC813MFTQC-350CB

[5019S-M2](#)

System Cooling

Fans

- 4x 40x28mm PWM fan
- Optional 2x 40x28mm PWM fan

Operating Environment (System)

Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)

Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)

Operating Relative Humidity Range • 8% ~ 90% (non-condensing)

Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

350W AC power supply w/ PFC

AC Voltage • 100-240 V, 50-60 Hz, 4.2-1.8 Amp

+5V

- Max.: 15 Amp
- Min.: 0.2 Amp

+5V standby

- Max.: 3 Amp
- Min.: 0 Amp

+12V

- Max.: 29 Amp
- Min.: 0.5 Amp

-12V

- Max.: 0.2 Amp
- Min.: 0 Amp

+3.3V

- Max.: 12 Amp
- Min.: 0.2 Amp

Certification



Platinum Level Certified
[\[Test Report \]](#)

Regulatory (Power Supply)

Power Supply Safety / EMC

- USA - UL listed, FCC
- Canada - CUL listed
- Germany - TUV Certified
- Europe/CE Mark
- EN 50950/IEC 50950-Compliant

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc813mftqc-350cb-1u-4x1ff-fix-psu-p-2243.html>

