

Supermicro SuperChassis SC815TQ-600UB 1U 4xLFF FIX PSU

Kod producenta: CSE-815TQ-600UB



Chassis Form Factor	Rack 1U
# of 3.5 hot-swap bays	4
Power Supply	Fixed
PSU Wattage	600W
PSU Certification	80+ Platinum



Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-815TQ-600UB • SuperChassis 815TQ-600UB (Black)

Form Factor

1U chassis support for max. motherboard size - 13.68" x 13" E-ATX; optimized for Universal I/O (UIO) motherboards

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Height • 1.7" (43mm)
Width • 17.2" (437mm)
Depth • 25.6" (650mm)
Gross Weight • 36 lbs (16.3kg)
Package • 23.5" x 8.5" x 33.7"
Available Colors • Black

Expansion Slots

• 1x Low-profile and 2x Full-height PCI expansion slots (riser card required)

Drive Bays

Hot-swap • 4x 3.5" SAS / SATA Hot-swap drive trays
• SAS or enterprise SATA HDD only recommended

SAS / SATA Backplane

1x 1U SAS / SATA backplane

Peripheral Drives

DVD-ROM • Slim DVD-ROM drive (optional)

Front Panel

Buttons • Power On/Off Button
• System Reset Button
• UID Button
• Power LED
LEDs • Hard drive activity LED
• 2x Network activity LEDs
• System information (overheat/UID) LED
Ports • 2x USB & DB9 COM port tray
• (Optional - in place of floppy drive)

Motherboard (for CSE-815TQ-600UB)

[X9DBU-3F](#)

[X9DBU-iF](#)

[X9SPU-F](#)

System Cooling

Fans • 4x 4cm Counter-rotating PWM fans

Operating Environment (System)

Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

600W High-Efficiency Power Supply w/PMBus 1.2, I²C, PFC, and Digital Switching

AC Input • 100-240V, 50-60Hz, 7.5A max
• +3.3V: 15A
• +5V: 18A
DC Output • +5V standby: 3A
• +12V: 49A
• -12V: 0.5A



Certification

Platinum Certified
[[Test Report](#)]

Regulatory (Power Supply)

Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• China - CCC Mark
• Europe/CE Mark
• EN 60950/IEC 60950-Compliant
• Germany - TUV Certified

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc815tq-600ub-1u-4x1ff-fix-psu-p-2260.html>