

Supermicro SuperChassis SC815TQ-563CB 1U 4xLFF FIX PSU

Kod producenta: CSE-815TQ-563CB



Chassis Form Factor	Rack 1U
# of 3.5 hot-swap bays	4
Power Supply	Fixed
PSU Wattage	560 W
PSU Certification	80+ Gold



Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-815TQ-563CB • SuperChassis 815TQ-563CB (Black)

Form Factor

1U chassis support for max. motherboard size - 12" x 13" and 13.68" x 13"

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Height • 1.7" (43mm)
Width • 17.2" (437mm)
Depth • 25.6" (650mm)
Gross Weight • 36 lbs (16.4kg)
Available Colors • Black

Expansion Slots

• 1x full-height, full-length PCI expansion slot (Riser Card Required)

Drive Bays

Hot-swap • 4x 3.5" SAS / SATA Hot-swap drive trays
• SAS or enterprise SATA HDD only recommended

SAS / SATA Backplane

1x 1U SAS / SATA backplane

Peripheral Drives

DVD-ROM • Slim DVD-ROM drive (Optional)

Front Panel

Buttons • Power On/Off button
• System Reset button
LEDs • Power LED
• Hard drive activity LED
• 2x Network activity LEDs
• System Overheat LED
Ports • 2x USB & DB9 COM port tray
• (Optional - in place of floppy drive)

Motherboard (for CSE-815TQ-563CB)

[X8DT3](#) [X8DT3-F](#)
[X8DT3-LN4F](#) [X8DT6](#)
[X8DT6-F](#) [X8DTE](#)
[X8DTE-F](#) [X8DTi](#)
[X8DTi-F](#) [X8DTi-LN4F](#)
[X8DTN+](#) [X8DTN+-LR](#)

Server(s) for SC815TQ-563CB

[6016T-6F](#)

System Cooling

Fans • 4x 4cm Counter-rotating PWM fans

Operating Environment (System)

Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

560W AC power supply w/ PFC (24-pin)
AC Voltage • 100-240 V, 50-60 Hz, 7.5 Amp max
+5V • 18 Amp
+5V standby • 3 Amp
+12V • 46 Amp @ 100-180V;
49 Amp @ 180-240V
-12V • 0.5 Amp
+3.3V • 15 Amp

Certification



[Gold Certified](#)

Regulatory (Power Supply)

Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• China - CCC Mark
• Europe/CE Mark
• EN 60950/IEC 60950-Compliant
• Germany - TUV Certified

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc815tq-563cb-1u-4lff-fix-psu-p-2265.html>