

Supermicro SuperChassis SC743TQ-903B Tower/4U 8xLFF FIX PSU

Kod producenta: CSE-743TQ-903B



Chassis Form Factor	Tower/4U
# of 3.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	900W
PSU Certification	80+ Gold

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-743TQ-903B • SuperChassis 743TQ-903B (**Black**)

Form Factor

4U chassis support for max. motherboard size - 12" x 13" E-ATX

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Width	• 17.8" (452mm)
Height	• 7.0" (178mm)
Depth	• 25.5" (648mm)
Gross Weight	• 56 lbs (25.4kg)
Available Colors	• Black

Expansion Slots

7x Full-height, Full-length PCI Expansion Slots

Drive Bays

Hot-swap	• 8x 3.5" SAS / SATA Hot-swap Drive Bays • SAS or enterprise SATA HDD only recommended
Peripheral Bay(s)	• 3x 5.25" Peripheral Drive Bay • Drive Bays are 90° Rotatable

SAS / SATA Backplane

SAS / SATA Hard Drive Backplane w/AMI MG9072

Front Panel

Buttons	• Power On/Off button • System Reset button
LEDs	• Power LED • Hard Drive Activity LED • 2x Network Activity LEDs • System Information LED • Power Fail LED
Ports	• 2x USB 3.0 Ports

System Cooling

Fans	• 4x 80mm PWM Chassis Middle Fans • 2x 80mm PWM Rear Chassis Fans
------	--

System Monitoring

Chassis intrusion switch

Operating Environment (System)

Operating Temperature Range	• 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range	• -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range	• 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range	• 5% - 95% (non-condensing)

Power Supply

900W AC multi output power supply	
AC Voltage	• 100-240 V, 50-60 Hz, 10-6 Amp
+5V Standby	• 3 Amp
+12V1	• 25 Amp
+12V2	• 25 Amp
+12V3	• 25 Amp
+12V4	• 25 Amp
+5V	• 25 Amp
+3.3V	• 25 Amp
-12V	• 0.5 Amp

Certification



Gold Level

Note:	• Max. continuous combined load on +3.3V and +5V output shall not exceed 155W. • Max. continuous combined load on +12V1, +12V2, +12V3 and +12V4 output shall not exceed 860W.
-------	--

Regulatory (Power Supply)

Power Supply Safety / EMC	• USA - UL listed, FCC • Canada - CUL listed • Germany - TUV Certified • Europe/CE Mark • EN 60950/IEC 60950-Compliant
---------------------------	--

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc743tq-903b-tower4u-8xlf-fix-psu-p-2388.html>