

Supermicro SuperChassis SC743T-500B Tower/4U 8xLFF FIX PSU

Kod producenta: CSE-743T-500B



Chassis Form Factor	Tower/4U
# of 3.5 hot-swap bays	8
Power Supply	Fixed
PSU Wattage	500W
PSU Certification	80+ Bronze

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKUs

CSE-743T-500B • SuperChassis 743T-500B (**Black**)

Form Factor

4U chassis support for max. motherboard size - 12" x 13" E-ATX

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Width • 7.0" (178mm)
Height • 17.8" (452mm)
Depth • 25.5" (648mm)
Gross Weight • 56 lbs (25.4kg)
Available Colors • Black

Expansion Slots

7x Full-height, Full-length PCI expansion slots

Drive Bays

Hot-swap • 8x 3.5" SAS / SATA Hot-swap Drive Bays
• SAS or enterprise SATA HDD only recommended

Peripheral Bay(s) • 3x 5.25" Peripheral Drive Bays

Backplane

SAS / SATA Hard Drive Backplane

Front Panel

Buttons • Power On/Off button
• System Reset button
• Power LED
• Hard drive activity LED
LEDs • 2x Network activity LEDs
• System Overheat LED
• Power Fail LED
Ports • 2x USB Ports

System Cooling

Fans • 4 5000 RPM Hot-swap PWM Cooling Fans
• Rear exhaust fans excluded (for optimized Superquiet System)

System Monitoring

Chassis intrusion switch

Operating Environment (System)

Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

500W AC power supply w/ PFC
AC Voltage • 100 - 240V, 50-60Hz, 7-3.5 Amp
+5V • 20 Amp
+5V standby • 3 Amp
+12V1 • 17 Amp
+12V2 • 17 Amp
+12V3 • 17 Amp
+12V4 • 18 Amp
-12V • 0.5 Amp
+3.3V • 15 Amp



Certification

Bronze Certified
[[Test Report](#)]

Regulatory (Power Supply)

Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• Germany - TUV Certified
• Europe/CE Mark
• EN 60950/IEC 60950-Compliant
• CCC

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc743t-500b-tower4u-8xlff-fix-psu-p-2391.html>