

Supermicro SuperChassis SC732i-R500B Mid-Tower 4xLFF RED PSU

Kod producenta: CSE-732i-R500B



Chassis Form Factor	Mid-Tower
# of 3.5 fixed bays	4
Power Supply	Redundant
PSU Wattage	500W

Poniżej prezentujemy szczegółowy opis techniczny oferowanego produktu:

Product SKU

CSE-732i-R500B • SuperChassis 732i-R500B (Black)

Form Factor

Mid-Tower & Workstation chassis support for max. motherboard size - 12" x 13" E-ATX

Processor Support

Supports dual, single Intel® / AMD processors

Dimensions

Width • 7.6" (193 mm)
Height • 16.7" (424 mm)
Depth • 20.68" (525.3 mm)
Packaging • 21.38" (W) x 11.97" (H) x 25.28" (D)
543mm (W) x 304mm (H) x 642mm (D)
Weight • 30 lbs (13.6 kg)
Available Colors • Black

Expansion Slots

7x Full-height, Full-length I/O expansion slots

Drive Bays

Internal • 4x 3.5" SAS/SATA HDD Bays (90° rotatable drive cage)
• 4x 2.5" HDD Bays (optional)
• SAS or enterprise SATA HDD only recommended

Peripheral Bay • 2x 5.25" peripheral drive bays

Front Panel

Buttons • Power On/Off button
• Power LED

LEDs • Hard drive activity LED
• Network activity LED
• System Information LED

Ports • 2x Front USB 2.0 ports

System Cooling

Fans • 1x 12cm (1850rpm) rear exhaust fan
• 1x 12cm (1850rpm) front cooling fan (opt.)
• Optimized Cooling Technology at 21dB Whisper-Quiet Operation

Operating Environment (System)

Operating Temperature Range • 5°C ~ 35°C (41°F ~ 95°F)
Non-Operating Temperature Range • -40°C ~ 60°C (-40°F ~ 140°F)
Operating Relative Humidity Range • 8% ~ 90% (non-condensing)
Non-Operating Relative Humidity Range • 5% - 95% (non-condensing)

Power Supply

500W Redundant Power Supply (PS2)
AC Input • 100-240 V, 50-60 Hz, 11-4.5 Amp
+5V • 25 Amp
+5V Standby • 4 Amp
+12V • 40 Amp
+3.3V • 20 Amp
-12V • 0.8 Amp

Regulatory (Power Supply)

Power Supply Safety / EMC • USA - UL listed, FCC
• Canada - CUL listed
• Germany - TUV Certified
• Europe/CE Mark
• EN 60950/IEC 60950-Compliant
• CCC Certified

Strona firmowa produktu:

<https://www.superstorage.pl/supermicro-superchassis-sc732i-r500b-mid-tower-4x1ff-red-psu-p-2434.html>